



propdb

```
public int MyProperty
{
    get { return (int)GetValue(MyPropertyProperty); }
    set { SetValue(MyPropertyProperty, value); }
}
```

// Using a DependencyProperty as the backing store for MyProperty. This enables animation, styling, binding, etc...

```
public static readonly DependencyProperty MyPropertyProperty =
    DependencyProperty.Register("MyProperty", typeof(int), typeof(ownerclass), new PropertyMetadata(0));
```



propa

```
public static int GetMyProperty(DependencyObject obj)
{
    return (int)obj.GetValue(MyPropertyProperty);
}
```

```
public static void SetMyProperty(DependencyObject obj, int value)
{
    obj.SetValue(MyPropertyProperty, value);
}
```

// Using a DependencyProperty as the backing store for MyProperty. This enables animation, styling, binding, etc...

```
public static readonly DependencyProperty MyPropertyProperty =
    DependencyProperty.RegisterAttached("MyProperty", typeof(int), typeof(ownerclass), new
PropertyMetadata(0));
```

xaml

--	--	--	--	--

項目	項目	項目	項目
項目	項目	項目	項目
項目	項目	項目	項目
項目	項目	項目	項目
項目	項目	項目	項目
ComponentResourceKey	項目	項目	項目
項目	項目	項目	項目

```

//[]
<Style x:Key="MyButtonStyle" TargetType="Button" />

//[]
<Style TargetType="Button">
    <Setter Property="Background" Value="LightBlue" />
</Style>

//[]
public static class ResourceKeys
{
    public static readonly string CloseButtonStyle = "CloseButtonStyle";
}

<Style x:Key="{x:Static local:ResourceKeys.CloseButtonStyle}" TargetType="Button" />

//[] ComponentResourceKey

    public partial class DataTemplateKeys
    {
        public static ComponentResourceKey ItemClose => new
ComponentResourceKey(typeof(DataTemplateKeys), "S.DataTemplate.Item.Close");
    }

<DataTemplate x:Key="{ComponentResourceKey ResourceId=S.DataTemplate.Item.Close,
TypeInTargetAssembly={x:Type local:DataTemplateKeys}}">

```

```
//XXXXXXXXXX
```

```
public static class ResourceKeys
```

```
{
```

```
    public static readonly ComponentResourceKey CloseButtonStyleKey = new
```

```
ComponentResourceKey(typeof(ResourceKeys), "CloseButtonStyle");
```

```
}
```

```
<Style x:Key="{x:Static local:ResourceKeys.CloseButtonStyleKey}" TargetType="Button" />
```

```
//XXXXX
```

```
<Button Style="{DynamicResource MyButtonStyle}" />
```

XXX #6

□ □ XXX 15 XXX 2024 15:46:13

□ □ XXX 5 □ 2025 13:52:20